

ဆေးအမည်

- ရွှေခိုဘင်

အစွမ်းရှုပစ္စည်း(a.i)

- Azoxystrobin 25% SC

ဆေးအာနိသင်

- ပင်လုံးပုံးအာနိသင်ရှုပြီး ထိုးဖောက်စိမ့်ဝင်ကာကွယ်ကုသအမြစ်ပြတ်သုတ်သင်ဆေးဖြစ်သည်။
- ဆေးသည် မို့စပိုးများ မျိုးပေါ်သွင့်ပေါက်ခြင်းနှင့် မို့မျိုးကြီးထွားပွားများမှုကို ဟန်တားစေသည်။
- မို့ရောဂါများစွာကို နှိမ်နှင်းနှင့်သော အာနိသင်ရှုသည်။
- မျိုးစွဲလူးနယ်ဆေးအဖြစ်လည်း အသုံးပြုနိုင်သည်။

အကျိုးကျေးဇူးများ

- မို့ရောဂါများကို ကာကွယ်နှိမ်နှင်းပေးနိုင်ရုံသာမက သီးနှံအရည်အသွေးနှင့် အထွက်နှုန်းကို တိုးစေပါသည်။
- အခြားမို့သတ်ဆေးများနှင့် တစ်လှည့်စီ အသုံးပြုနိုင်သလို အခြားဆေးများနှင့်လည်းရော၍ အသုံးပြုနိုင်ပါသည်။

အသုံးပြုနိုင်သည့်သီးနှံ	နှိမ်နှင်းနိုင်သည့်ရောဂါ
စပါး	ဂုတ်ကျိုးရောဂါ
ဂန္ဓမာ	သံချွေးဖြူရောဂါ
ခရမ်း၊ ခရမ်းချဉ်း၊ အာလူး	စောပင်နာကျရောဂါ၊ နှောင်းပင်နာကျရောဂါ၊ ချွေးဖတ်ရောဂါ
စပျစ်၊ သခြား၊ ကြက်သွန်နှီးဖြူ	ဒေါင်းနီးရွက်ခြောက်ရောဂါ၊ ဖားဥမ္မာရောဂါ၊ မွဲပြောက်စွန်း၊ သံချွေးရောဂါ
ငှက်ပျော	ရွက်နှက်စင်းရောဂါ
ရောက်သံပုရာနွယ်ဝင်အပင်များ	ချွေးဖတ်ရောဂါ၊ မွဲပြောက်စွန်းရောဂါ

သတိပြုရန်

- အေး၍ခြောက်သွေ့သောနေရာတွင် ထားပါ။

သုံးခွဲရန်အညွှန်း

အသုံးပြုနိုင်သည့်သီးနှံ	နှိမ်နှင်းနိုင်သည့်ရောဂါ	နှုန်းထား / ရေး (၁၆) လီတာ	အသုံးပြုနည်းလမ်း/ အသုံးပြုချိန်
စပါး	ဂုတ်ကျိုးရောဂါ	(၁၀-၃၀) စီစီ	ဖျော်းဆေး
ဂန္ဓမာ	သံချွေးဖြူရောဂါ	(၁၀-၃၀) စီစီ	ဖျော်းဆေး
ခရမ်း၊ ခရမ်းချဉ်း၊ အာလူး	စောပင်နာကျရောဂါ၊ နှောင်းပင်နာကျရောဂါ၊ ချွေးဖတ်ရောဂါ	(၁၀-၃၀) စီစီ	ဖျော်းဆေး
စပျစ်၊ သခြား၊ ကြက်သွန်နှီးဖြူ	ဒေါင်းနီးရွက်ခြောက်ရောဂါ၊ ဖားဥမ္မာရောဂါ၊ မွဲပြောက်စွန်း၊ သံချွေးရောဂါ	(၁၀-၃၀) စီစီ	ဖျော်းဆေး
ငှက်ပျော	ရွက်နှက်စင်းရောဂါ	(၁၀-၃၀) စီစီ	ဖျော်းဆေး

ရှောက်သံပုရာန္တယ်ဝင်အပင်များ	ချေးဖတ်ရောဂါ၊ မြဲပြောက်စွန်းရောဂါ	(၁၀-၃၀) စီစီ	မျန်းဆေး
------------------------------	-----------------------------------	--------------	----------

Name - Shwe Zobin

Active ingredient - Azoxystrobin 25% SC

Product Feature

- It is systemic with translaminar and protective action having additional curative and eradication properties.
- It possesses the broadest spectrum of activity of all known antifungals.
- It exerts its fungicidal activity by inhibiting mitochondrial respiration in fungi.
- It powerfully inhibits spore germination.
- It is also used as a seed-treatment.

Advantages

- It not only controls fungal diseases but also improves the yield and/or quality of the crop
- It may be applied as a foliar spray in alternating spray programs or in tank-mixes with other products.

Applicable Crops	Target Pests
Paddy	Blast
Chrysanthemum	White rust
Eggplant, Tomato, Potato	Early blight, Late blight, Potato Scab
Grapes, Cucumber, Onion & Garlic	Downy mildew, Powdery mildew, Anthracnose, Rust
Banana	Leaf streak or Sigatoka Disease
Citrus	Scab, Anthracnose

Uses and Recommendations

Applicable Crops	Target Pests	Dosage/ 16 L of water	Method
Paddy	Blast	(10-30) cc per (16) L of water	Apply at the initial stage of the disease
Chrysanthemum	White rust	(10-30) cc per (16) L of water	Apply at the initial stage of the disease

Eggplant, Tomato, Potato	Early blight, Late blight, Potato Scab	(10-30) cc per (16) L of water	Apply at the initial stage of the disease
Grapes, Cucumber, Onion & Garlic	Downy mildew, Powdery mildew, Anthracnose, Rust	(10-30) cc per (16) L of water	Apply at the initial stage of the disease
Banana	Leaf Streak or Sigatoka Disease	(10-30) cc per (16) L of water	Apply at the initial stage of the disease
Citrus	Scab, Anthracnose	(10-30) cc per (16) L of water	Apply at the initial stage of the disease

Caution

- Store in a cool and dry place.