

ဆေးအမည်

- ရွှေဆန်းကို

အစွမ်းရှိပစ္စည်း(a.i)

- Mancozeb 80% WP

ဆေးအာနိသင်

- ထိသေအာနိသင်ရှိ အင်အော်ဂဲနစ်ရေပျော်ဆေးမှုန့်အမျိုးအစားဖြစ်သည်။
- ဆေးသည် မှိုရောဂါများကိုနှိမ်နင်းနိုင်ယုံသာမက ဆေးအတွင်းပါဝင်သည့် မဂ္ဂနီဆီယမ်သည် အရွက်အစိမ်းရောင်ဖြစ်စေသည့်ကလိုရိုဖီးလ်ကို ဖြစ်စေမှုကြောင့် အပင်ကြီးထွားမှုနှင့် အစာချက်လုပ်မှုကို များစွာအထောက်အကူပြုပြီး ဇင့်သည် သီးနှံအစေ့အဆံပြည့်မှုကို ဖြစ်စေသည်။
- မှိုမျှင်ဆဲလ်များ၏ အင်ဇိုင်းနှင့် အမိုင်နိုအက်စစ်ထုတ်လုပ်မှုကို နှောင့်ယှက်ဟန့်တားပေးခြင်းအားဖြင့် မှိုကြီးထွားမှု၊ မှိုရှင်သန်နိုင်မှုနှင့် မှိုစပိုများပေါက်ပွားမှုကို ဟန့်တားပေးသောအာနိသင်ရှိသည်။

အကျိုးကျေးဇူးများ

- ရွက်ခြောက်၊ ဒေါင်းနီး၊ သံချေး၊ ရွက်ပြောက်နှင့် မဲ့စွန်းစသည့် ရောဂါများကို ထိထိရောက်ရောက် ကာကွယ်နှိမ်နင်းပေးနိုင်ပါသည်။
- မှိုမျှင်များ၏ အမျိုးမျိုးသော ဇီဝကမ္မဖြစ်စဉ်များကို ဖျက်ဆီးဟန့်တားပေးသည့်အတွက် ရောဂါများဆေးဒဏ်ခံနိုင်ရည်ရှိမှုကို နည်းစေပါသည်။
- မှိုရောဂါများကို ထိထိရောက်ရောက်ကာကွယ်နှိမ်နင်းပေးနိုင်ရုံသာမက သီးနှံပင်ကျန်းမားရေးကိုပါ အထောက်အကူပြုစေပါသည်။
- အခြားမှိုသတ်ဆေးများနှင့် ရောစပ်အသုံးပြုခြင်းဖြင့် အာနိသင်ပိုမို အစွမ်းထက်စေသည်။

သတိပြုရန်

- အာနိသင်လျော့နည်းနိုင်သည့်အတွက် မိုးရွာခါနီးသောအချိန်၊ မိုးရွာသောအချိန်များတွင် ဆေးဖျန်းခြင်းကို ရှောင်ရှားသင့်ပါသည်။
- ရောဂါများဆေးဒဏ်ခံနိုင်ရည်ရှိမှုမှ ကာကွယ်ရန် သတ်မှတ်နှုန်းထားအတိုင်း အသုံးပြုပါ။ အကြိမ်ရေများစွာ အသုံးမပြုသင့်ပါ။
- ဆေးဖျန်းလိုက်ပါက အရွက်မျက်နှာပြင်ပေါ်တွင် ဆေးများတင်ကျန်ရစ်နေပြီး၊ အရွက်တစ်သျှူးများထဲသို့ ထိုးဖောက်ဝင်ရောက်သွားခြင်းမရှိပါ။

သုံးစွဲရန်အညွှန်း

သီးနှံ	နှိမ်နင်းနိုင်သည့်ရောဂါများ	ဆေးနှုန်းထား	အသုံးပြုနည်းလမ်း/ အသုံးပြုချိန်
စပါး	ဂုတ်ကျိုး	ရေ (၁၆) လီတာလျှင် (၄၀-၈၀) ဂရမ်	ကြိုတင်ကာကွယ်အသုံးပြုရန်

ပဲမျိုးစုံ- ပဲပုပ်	ဖားမျက်စေ့ရွက်ပျောက်၊ မှည့်စွန်း၊ ဖားဥမှို၊ စာကိုစပိုးရားရွက်ပြောက်၊ သံချေး၊ အော်တာနေရီးယားရွက်ပြောက်	ရေ (၁၆) လီတာလျှင် (၄၀-၈၀) ဂရမ်	ကြိုတင်ကာကွယ်အသုံးပြုရန်
ဟင်းသီးဟင်းရွက်များ - အာလူး၊ ခရမ်းချဉ်၊ ကြက်သွန်၊ ဗူး၊ဖရုံ၊ သခွား	စောပင်နာကျ၊ နှောင်းပင်နာကျ၊ ရွက်ပျောက်၊ တောက်တွဲမြီး၊ ဒေါင်းနီးရွက်ခြောက်၊ မဲ့ပြောက်စွန်း၊ ဖားဥမှို၊ စာကိုစပိုးရားရွက်ပြောက်၊ သံချေး၊ အော်တာနေရီးယားရွက်ပြောက်	ရေ (၁၆) လီတာလျှင် (၄၀-၈၀) ဂရမ်	ကြိုတင်ကာကွယ်အသုံးပြုရန်
စပျစ်	ဒေါင်းနီးရွက်ခြောက်၊ မဲ့ပြောက်စွန်း	ရေ (၁၆) လီတာလျှင် (၄၀-၈၀) ဂရမ်	ကြိုတင်ကာကွယ်အသုံးပြုရန်

Name - Shwe Sunco

a.i - Mancozeb 80% WP

Product Feature

- It is inorganic contact fungicide.
- It is a broad spectrum fungicide to protect crops against fungal diseases.
- It is a combination of manganese and zinc, which provides both fungicidal action and micronutrient benefits.
- In addition to controlling fungal diseases, the magnesium in the product supports plant growth and photosynthesis, while the zinc enhances seed formation.
- It works by disrupting the enzymes and amino acids in fungal cells, which inhibits the fungal growth, fungal developing and spore germination.

Advantages

- It can effectively prevent the wide range of fungal diseases, including blights, downy mildew, rusts, leaf spots and anthracnose.
- It acts on multiple enzymes in fungal cells, reducing the risk of resistance development.
- While effectively controlling fungal diseases, it also fully supports plant health maintenance.
- By mixing with other fungicides, the effect of the product is more efficient.

Precaution

- Should be avoided applying Shwe Sunco when rain is imminent, as it can wash off the fungicide, reducing its effectiveness.
- Should be used the recommended dosage or application frequency to avoid the development of resistance in pathogens.
- After spraying, Shwe Sunco remains on the surface of the leaves, no penetration into the leaf tissue.

Uses and Recommendations

Crop	Target Pests	Dosage	Applicable Method/ Applicable Time
Rice	Blast	(40-80) g per (16) L of water	Preventively when conditions are favorable for disease development
Legumes: Soybean	Frogeye leaf spot, anthracnose, Powdery mildew, Cercospora leaf spot, Rust, Alternaria leaf spot	(40-80) g per (16) L of water	Preventively when conditions are favorable for disease development
Vegetables: Potato, Tomato, Onion, Cucurbits	Late blight, early blight, septoria leaf spot, purple blotch, downy mildew, anthracnose, Powdery mildew, Cercospora leaf spot, Rust, Alternaria leaf spot	(40-80) g per (16) L of water	Preventively when conditions are favorable for disease development

Fruits: Grapes	Downy mildew, black rot and anthracnose	(40-80) g per (16) L of water	Preventively when conditions are favorable for disease development
----------------	---	-------------------------------	--