

မြင်းကျားမျိုးစေ့လူးနယ်ဆေး

အာနိသင်

- အပင်ပေါက်နှုန်းကောင်းစေခြင်း။
- အပင်ငယ်သေဆုံးမှုနည်းစေခြင်း။
- မျိုးစေ့သုံးစွဲနှုန်းလျော့ချနိုင်ခြင်း။
- အပင်ပေါက်များ သန်မာပြီး ကြီးထွားမှု မြန်စေခြင်း။
- ဖျက်ပိုးများဒဏ်၊ ရောဂါဒဏ်၊ ရာသီဥတုဆိုးဝါးမှုဒဏ် ခံနိုင်ရည်ရှိစေခြင်း။

သုံးစွဲရန်အညွှန်း

သီးနှံ	ဆေးနှုန်းထား	အသုံးပြုနည်းလမ်း/ အသုံးပြုချိန်
နှံစားသီးနှံ၊ ပဲမျိုးစုံ	ဆေးဖျော်စပ်ရာတွင် သန့်ရှင်းသောစတီး (သို့) ပလတ်စတစ်ပုံးထဲသို့ ရေ (၂) လီတာခန့် ထည့်ပါ။ အထုပ်တွင်းပါသော ဆေးများကို ထည့်ပြီး ကောင်းစွာပျော်ဝင်သည်အထိ မွှေ၍ဖျော်ပါ။	အလတ်စတစ်အခင်းပေါ်တွင် မျိုးသီးနှံကို ပုံပါ။ ဆေးဖျော်ရည် (၂) လီတာကို မျိုးစေ့များအပေါ် အနည်းငယ်ချင်းဖျန်းပြီး အားလုံးနှင့် သမအောင် ညင်သာစွာ ပြုလုပ်ပါ။ အရိပ်ထဲတွင် အချိန်အတန်ကြာထားပြီး မျိုးချစိုက်ပါ။
ကြံ	ဆေးဖျော်စပ်ရာတွင် သန့်ရှင်းသောစတီး (သို့) ပလတ်စတစ်ပုံးထဲသို့ ရေ (၂) လီတာခန့် ထည့်ပါ။ အထုပ်တွင်းပါသော ဆေးများကို ထည့်ပြီး ကောင်းစွာပျော်ဝင်သည်အထိ မွှေ၍ဖျော်ပါ။	ရေစည်ပြတ်ထဲသို့ ရေ (၂၀) ဂါလန် (၉၀ လီတာ) ထည့်ပါ။ ဆေးဖျော်ရည် (၂) လီတာကို ထည့်ဖျော်ပါ။ ကြံမျိုးပိုင်းများကို (၅) မိနစ်ခန့် ထည့်စိမ်ပြီး စိုက်မြောင်းထဲချစိုက်ပါ။

Myin Kyar 4 in 1

Product Feature

- Enhances germination efficiency.
- Minimizes seedling mortality rate.
- Optimizes seed utilization.
- Promotes robust and accelerated plant growth.
- Strengthens resilience against pests, diseases, and adverse weather conditions.

Uses and Recommendations

Crop	Dosage	Applicable Method/ Applicable Time
Cereals, Legumes	Add approximately 2 liters of water to a clean stainless steel or plastic container. Add the contents in the packaging to the provided solution and stir thoroughly until completely dissolved.	Evenly distribute the seeds on a plastic sheet. Gradually spray the prepared 2-litre solution over the seeds, ensuring uniform absorption while handling them gently. Allow the seeds to permeate in a shaded area for an appropriate duration before planting.
Sugarcane	Add approximately 2 liters of water to a clean stainless steel or plastic container. Add the contents in the packaging to the provided solution and stir thoroughly until completely dissolved.	Pour 20 gallons (90 liters) of water into a water container and mix in the prepared 2-litre solution. Soak the seed bundles for approximately 5 minutes, then transplant them into the field.